JOLIGHTING

LED lighting

Professional Manufacturer

Specification For Approval

SUZHOU JOLIGHTING CO.,LTD

TEL:86-512-50338605 FAX:86-512-50338608

MAIL:info@jolighting.com WEB: www.jolighting.com

ADDRESS: Yishen Road 83,Shipai Town, Kunshan 215312 China

JOLIGHTING

Specification For Approval



Customer Name：

Supplier Name：SuZhou Jolighting co.,ltd

Product Name： LED Panel Light(MB18100-6060 36W/40W)

Effective Date：

Supplier		Customer confirmation	
prepared		OK ☐ NG ☐	
audit		audit	
approval		approval	

Both partiess shall sign and seal the specification for approval after confirming it qualified.


JOLIGHTING

Specification For Approval


1.Specification

Product Code	MB18100-6060-36	MB18100-6060-40
Chip Model&Quantity	HONGLI 4014 216pcs	HONGLI 4014 216pcs
Color Temperature	4000K	4000K
LM80	95%	95%
CRI	≥80	≥80
Power	36W	40W
luminous efficiency	100LM/W	100LM/W
Luminous Flux	3600LM	4000LM
Driver Brand	TOSPO	TOSPO
Beam Angle	110°	110°
Power Input	220V/240V	220V/240V
Working Temp.	-25℃～+40℃、10%～80% R.H.	-25℃～+40℃、10%～80% R.H.
IP Rating	IP20	IP20
Certification	/	/
Life Time(L70 B50 25℃)	50,000 hrs	50,000 hrs
Warranty	5Years	5Years
Weight	2300g±5%	2300g±5%
Optical Material	2mm PMMA LGP+1.0mm PS diffuser Plate+0.188mm reflector plate	2mm PMMA LGP+1.0mm PS diffuser Plate+0.188mm reflector plate
Metals	aluminum frame+coated steel	aluminum frame+coated steel
Power factor	≥0.9	≥0.9
Packing size&Weight	620*620*15mm/1.8kg	620*620*15mm/2.0kg
Container Loading	20GP 3159PCS/40HC 7074PCS	220GP 3159PCS/40HC 7074PCS

2.Light Distribution Curve




MB18100-6060-36




MB18100-6060-40

3.Product Basic Diagram



4.Product Explosion Diagram



5.Packaging

